Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4715	(generat\$3 near3 (id identifier)) with (host user machine node )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:40
L2	798	l1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:41
L3	3412	(generat\$3 near2(id identifier)) with (host user machine node )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:56
L4	590	l3 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:41
L5	108	(generat\$3 near2(id identifier)) with (host user machine node ) with (product model hardware)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:54
L6	1	"20050033853".pn. and generat\$3	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:54
L7	1183	(generat\$3 near2(id identifier)) near4 code	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:56
L8	0	I7 and "709"/\$.ccls,	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:56
L9	78	17 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/20 11:57
S1	224	pppoe	US-PGPUB; USPAT	OR	ON	2005/01/10 06:27
S2	82	pppoe and "709"/\$.ccis.	US-PGPUB; USPAT	OR	ON	2005/01/10 06:37
S3	0	(identif\$5 and device and ethernet).ab. and ppp0e	US-PGPUB; USPAT	OR	ON	2005/01/10 06:37
S4	0	(identif\$5 and device).ab. and ppp0e	US-PGPUB; USPAT	OR	ON	2005/01/10 06:38

S5	39	(identif\$5 and device and ethernet).ab.	US-PGPUB; USPAT	OR	ON	2005/01/10 07:47
S6	16	pppoe and padi and padr and pado	US-PGPUB; USPAT	OR	ON	2005/01/10 11:03
S7	1	(tag with model with product with identif\$5) and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 08:00
S8	1	(send\$3 with model with product with identif\$5) and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 08:00
S9	8	(send\$3 with model with device with identif\$5) and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 08:01
S10	214	(host with tag with ident\$5)	US-PGPUB; USPAT	OR	ON	2005/01/10 08:36
S11	28	(host with tag with ident\$5) and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 09:03
S12	17	(host with tag with ident\$5) and "370"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/10 09:09
S13	0	(host with tag with ident\$5 with product with model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:10
S14	9	( tag with ident\$5 with product with model)	US-PGPUB; USPAT	OR	ON	2006/07/12 06:47
S15	2	(binary with ident\$5 with product with model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:13
S16	38	(binary with ident\$5 with model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:17
S17	0	(binary with ident\$5 with productl)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:17
S18	138	(binary with ident\$5 with product)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:17
S19	8	(binary with ident\$5 with product) and ("709"/\$.ccls. or "370\$.ccls")	US-PGPUB; USPAT	OR	ON	2005/01/10 09:19
S20	21207	(identif\$4 near4 host product near4 model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:21
S21	0	(identif\$4 near4 host near4 product near4 model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:21
S22	28	(code with identi\$4 with (product near3 model))	US-PGPUB; USPAT	OR	ON	2006/07/12 06:34
S23	0	( send\$3 near4 product near3 model) with network	US-PGPUB; USPAT	OR	ON	2005/01/10 09:26
S24	14	( send\$3 near4 product near3 model)	US-PGPUB; USPAT	OR	ON	2006/07/12 06:48
S25	73	( receiv\$3 near4 product near3 model)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:37
S26	1535	(receiv\$3 with device with identif\$5 with code)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:38

	<del> </del>					
S27	68	(receiv\$3 with device with identif\$5 with code with database) and network	US-PGPUB; USPAT	OR	ON	2005/01/10 09:45
S28	817	product with identifier with receiv\$3	US-PGPUB; USPAT	OR	ON	2005/01/10 09:45
S29	112	product with identifier with receiv\$3 with database	US-PGPUB; USPAT	OR	ON	2005/01/10 09:46
S30	11	product near4 identifier near4 receiv\$3 near4 database	US-PGPUB; USPAT	OR	ON	2005/01/10 09:49
S31	48	product near4 identif\$7 near4 receiv\$3 near4 database	US-PGPUB; USPAT	OR	ON	2005/01/10 09:50
S32	0	("2002/0095299").URPN.	USPAT	OR	ON	2005/01/10 09:54
S33	0	("2002/0095299").URPN.	USPAT	OR	ON	2005/01/10 10:27
S34	1	("6404861").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:27
S35	5	host with tag with binary	US-PGPUB; USPAT	OR	ON	2005/01/10 11:03
S36	2	("20050033853").PN.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/11/03 13:44
S37	1	"20050033853".pn. and (generat\$3 with device with identifier)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 13:47
S38	. 1	"20050033853".pn. and ( device with identifier)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 13:47
S39	953	(generat\$3 near3 Identifi\$3) with (model or product)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:27
S40	145	S39 and (ethernet or (point adj2 point) or pppoe)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:28
S41	287	(identif\$3 with network with (workstation or cpu or cpe or equipment)).ab.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:29
S42	725	(identif\$3 with network with (workstation or cpu or cpe or equipment woth (code or tag ))). ab.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:30

				,	<b>-</b>	
S43	47	(identif\$3 with network with (workstation or cpu or cpe or equipment woth (code or tag ))). ab. and (ethernet)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:43
S44	10139	(identif\$3 with network with (workstation or cpu or cpe or equipment woth (code or tag ))). ab. (product near3 model)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:43
S45	3	(identif\$3 with network with (workstation or cpu or cpe or equipment woth (code or tag ))). ab. and (product near3 model)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/03 14:48
S46		("20030053443").PN.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/11/03 14:48
S47	1	"20020095299".pn. and (network\$3 or ethernet or communication )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:27
S48	112074	(generat\$3 or produc\$3 or calculat\$3 or mak\$3 or get\$4) with (identifier or tag or value) with (device or host or workstation or machine)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:30
S49	1270	(generate with device with identifier)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:31
S50	105	(generate with device with identifier with code)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:31
S51	1	(generate with device with identifier with product with model)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:33
S52	6798	(generat\$3 near3 code near4 (device or machine or host or workstation ))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:34
S53	6748	(generat\$3 near3 code near4 (device or machine or host or workstation near3 identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:34
S54	259	(generat\$3 near3 code near4 (device or machine or host or workstation near3 identifier)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 06:37

S55	73	(generat\$3 near3 code near4 (device or machine or host or workstation near3 identifier)) and "709"/\$.ccls. and ethernet	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:10
S56	1424	(generat\$3 near3 (id or identifier) near3 (machine or host or workstation or device))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:11
S57	198	(generat\$3 near3 (id or identifier) near3 (machine or host or workstation or device)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:11
S58	262	(generat\$3 near2(id or identifier)) with (machine or host or workstation or device) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:12
S59	120	(generat\$3 near2(id or identifier)) near3 (machine or host or workstation or device) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:12
S60	69	(generat\$3 near2(id or identifier)) near3 (machine or host or workstation or device) near4 code	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:14
S61	4	(generat\$3 near2(id or identifier)) near3 (machine or host or workstation or device) with (packet with response)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:15
S62	54	(generat\$3 with (id or identifier)) with (machine or host or workstation or device) with (packet with response)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:30
S63	30956	(product or machine or device or workstation ) near2 model	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:30
S64	241	(product or machine or device or workstation ) near2 model near2 (id or identifier)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 07:31
S65	43	(product or machine or device or workstation ) near2 model near2 (id or identifier) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:21
S66	407	pppoe	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:22

				· · · · · · · · · · · · · · · · · · ·		
S67	10	pppoe and (device near3 (id or idnetifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:25
S68	1	pppoe and ((device or machine or host or workstation) near3 generat\$3 near3 (id or idnetifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:26
S69	3	pppoe and ((device or machine or host or workstation) near3 generat\$3 near3 (id or identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:27
S70		etherne and ((device or machine or host or workstation) near3 generat\$3 near3 (id or identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:27
S71	219	ethernet and ((device or machine or host or workstation) near3 generat\$3 near3 (id or identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 08:27
S72	1	(generat\$3) and "20050033853"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 09:44
S73	2	"20030053443".pn. and ip	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 09:52
S74	1	"20030053443".pn. and (remote adj2 access\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:07
S75	298	(adsl with router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:08
S76	129	(adsl with router) and ethernet	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:08
S77	129	(adsl near3 router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:08
S78	8606	(adsl adj1router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:08

				00	01:	2005/44/25 12 12
S79	44	(adsl adj1 router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:10
S80	7	(adsl adj1 router) and PPPoe	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:21
S81	2	"20050033853"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:21
S82	1	"20050033853".pn. and router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/05 10:21
S83	4	(generat\$3 with tag with (product adj model))	US-PGPUB; USPAT	OR	ON	2006/07/12 06:19
S84	27 ,	( tag with (product adj model))	US-PGPUB; USPAT	OR	ON	2006/07/12 06:19
S85		(code with identi\$4 with (product near3 model))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 06:34
S86	28	( tag with ident\$5 with product with model)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 06:47
S87	481	( send\$3 transmi\$5 transfer\$4 receiv\$3) near4 ((product adj model)(product adj id)(product adj identifier))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/12 06:50
S88	35	S87 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/12 07:13
S89	65089	((id identif\$5 tag model) with (device product host)).ab.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/12 07:53
S90	1943	((id identif\$5 tag model) with (device product host) and (discovery packet)).ab.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/12 07:53

S91	0	((id identif\$5 tag model) with (device product host) and (discovery packet)).ab. and 709/4. ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/12 07:53
S92	148	((id identif\$5 tag model) with (device product host) and (discovery packet)).ab. and "709"/.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/12 08:02
S93	<b>32</b>	((id identif\$5 tag model) with (device product host) and (discovery )).ab. and "709"/.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/07/12 08:02
S94	<sup>‡</sup> 2	("6021493").PN.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/12 08:14